

# ■ Fittings

Equipment and accessories for the Fillflex system

**FILLFLEX**

– the flexible filling machines



We have a large “toolbox” with pipings, adapters, valves, strainers etc., for all kinds of filling configurations. They are all selected from our long filling experience and for optimal performance together with your Fillflex filler.

Many, seemingly simple, accessories gives substantial functional improvements. A non return valve, for instance, will prevent the product from flowing back to the storage tank.



## Bend

**Order number:**

- TFA10165-25 (diameter 25 mm)
- TFA10165-38 (diameter 38 mm)
- TFA10165-51 (diameter 51 mm)



## Pipe

**Order number:**

**25 mm pipe:**

- TFA10185-25-1 (length 100 mm)
- TFA10185-25-2 (length 200 mm)
- TFA10185-25-3 (length 300 mm)
- TFA10185-25-4 (length 400 mm)
- TFA10185-25-5 (length 500 mm)
- TFA10185-25-x (length xxx mm)

**38 mm pipe:**

- TFA10185-38-1 (length 100 mm)
- TFA10185-38-2 (length 200 mm)
- TFA10185-38-3 (length 300 mm)
- TFA10185-38-4 (length 400 mm)
- TFA10185-38-5 (length 500 mm)
- TFA10185-38-x (length xxx mm)

**51 mm pipe:**

- TFA10185-51-1 (length 100 mm)
- TFA10185-51-2 (length 200 mm)
- TFA10185-51-3 (length 300 mm)
- TFA10185-51-4 (length 400 mm)
- TFA10185-51-5 (length 500 mm)
- TFA10185-51-x (length xxx mm)



## Adapter

**Order number:**

- TFA10170-38/25 (38 mm nut / 25 mm thread)
- TFA10170-51/38 (51 mm nut / 38 mm thread)



## Adapter

**Order number:**

- TFA10175-25/38 (25 mm nut / 38 mm thread)
- TFA10175-38/51 (38 mm nut / 51 mm thread)



### Adapter

**Order number:**  
 TFA10175-25/38 (25 mm nut / 38 mm thread)  
 TFA10175-38/51 (38 mm nut / 51 mm thread)



### Hose connection, with nut

**Order number:**  
 TFA10195-25/38 (25 mm SMS / 38 mm hose connection)  
 TFA10195-25/20 (25 mm SMS / 20 mm hose connection)  
 TFA10195-51/38 (51 mm SMS / 38 mm hose connection)



### Hose nipple, nut and gasket

For 20, 25, 38 and 51 mm hose connection.

<b>Order number, 20 mm:</b>		
Nut : 272-25	Hose nipple: TFA10195-25/20	Gasket: 273-25
<b>Order number, 25 mm:</b>		
Nut : 272-25	Hose nipple: TFA10195-25/25	Gasket: 273-25
<b>Order number, 38 mm:</b>		
Nut : 272-38	Hose nipple: 239-38S	Gasket: 273-38
<b>Order number, 51 mm:</b>		
Nut : 272-51	Hose nipple: 239-51S	Gasket: 273-51



### Bend

**Order number:**  
 TFA10200-25 (for 20 mm hose connection)



### Adapter SMS/BSP

**Order number:**  
 TFA10210-25/25 (25 mm SMS nut / 25 mm thread)




### Hose connection

**Order number:**  
R-144-1" (25 mm BSP thread / 25 mm hose connection)



### Priming piece

To be fitted on suction side of pump, for better priming capability.  
**Order number:**  
TFA10235-51



### Valve

**Order number:**  
TFA10230-25/25  
TFA10230-51/51



### Non return valve

**Order number:**  
0625/0602-1"-25




### Strainer

For non return valve 0625/0602-1-25.  
**Order number:**  
IT-102-1"-25



### Suction pipe

**Order number:**  
TFA 10196-51/51 (51 mm)



### Suction pipe

Cut to avoid pipe to get stuck at bottom.

**Order number:**  
TFA 10198-51 (51 mm)